🛞 Blue**Sun**

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

GAMA UNIVERSAL PROFESSIONAL

XXX	CONSUMER BRANDS	GAMA UNIVE	ERSAL PROFESSIONAL
:	Printing: 11/06/2024 D	ate of compilation: 13/02/2024	Version: 1
SECT	TION 1: IDENTIFICATION OF 1	THE SUBSTANCE/MIXTURE AN	ID OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	GAMA UNIVERSAL PROFES	SIONAL
	Other means of identification:		
	UFI:	RUM0-T0RK-E00J-M7F7	
1.2	Relevant identified uses of the	e substance or mixture and use	s advised against:
	Relevant uses: Detergent for clear	ning clothes	
	Uses advised against: All uses not	specified in this section or in section	on 7.3
1.3	Details of the supplier of the s	afety data sheet:	
	BLUESUN CONSUMER BRANDS, S.	L.U.	
	Carrer de Vilassar, 5 08302 Mataro (Barcelona) - Barcel	ona - España	
	Phone: (+34) 900747126		
	regulatory.affairs@bluesuncb.com https://www.bluesuncb.com/		
1.4	Emergency telephone number	:	
SECT	TION 2: HAZARDS IDENTIFICA	TION	
2.1	Classification of the substance	or mixture:	
	CLP Regulation (EC) No 1272/	2008:	
			CLP Regulation (EC) No 1272/2008.
	Eye Irrit. 2: Eye irritation, Categor Skin Sens. 1A: Sensitisation, skin,	ry 2, H319	
2.2	Label elements:		
	CLP Regulation (EC) No 1272/	2008:	
	Warning		
	• Hazard statements:		
	Eye Irrit. 2: H319 - Causes serious	s eye irritation.	
	Skin Sens. 1A: H317 - May cause	an allergic skin reaction.	
	Precautionary statements:		
	P101: If medical advice is needed P102: Keep out of reach of childre	, have product container or label at en.	. nand.
	P280: Wear protective gloves.		
	P301+P312: IF SWALLOWED: Cal P302+P352: IF ON SKIN: Wash w	I a POISON CENTER/doctor if you f ith plenty of water.	eel unwell.
	P305+P351+P338: IF IN EYES: R		al minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing. Supplementary information:		
	Contains BENZISOTHIAZOLINONE		
2.3	Other hazards:		
	Product does not meet PBT/vPvB of	criteria	
		he product does not meet the crite	ria.
SECT	TION 3: COMPOSITION/INFOR	MATION ON INGREDIENTS	
3.1	Substance:		
	Non-applicable		
3.2	Mixture:		
	Chemical description: Mixture	composed of anionic and non-ionic	surfactants



GAMA UNIVERSAL PROFESSIONAL

Nº:

Printing: 11/06/2024

Date of compilation: 13/02/2024 Version: 1

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS: EC:	68585-34-2 500-223-8	SODIUM LAURETH S	JLFATE ⁽¹⁾ Self-classified	
Index:	Non-applicable Non-applicable	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	1 - <5 %
CAS: EC:	68411-30-3 270-115-0	Benzenesulfonic acid	, C10-13-alkyl derivs., sodium salts ⁽¹⁾ Self-classified	
Index:	Non-applicable 01-2119489428-22- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - 🔶 谷 Danger	1 - <5 %
CAS: EC:	68439-50-9	Alcohols, C12-14, eth	noxylated (5-15 EO) ⁽¹⁾ Self-classified	
Index:	Non-applicable Non-applicable Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	1 - <5 %
CAS: EC:	2634-33-5 220-120-9	1,2-benzisothiazol-3	(2H)-one ⁽¹⁾ ATP CLP00	
Index:	613-088-00-6 Non-applicable *	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; 🚯 🐼 🎕 Skin Sens. 1: H317 - Danger	<1 %
CAS:	2682-20-4	2-methylisothiazol-3	(2H)-one ⁽¹⁾ ATP ATP13	
EC: Index: REACH:	220-239-6 613-326-00-9 01-2120764690-50- XXXX	Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317; EUH071 - Danger	<1 %
CAS:	7631-86-9	Silicon dioxide (RCS	< 1%) ⁽²⁾ Not classified	
EC: Index: REACH:	231-545-4 Non-applicable 01-2119379499-16- XXXX	Regulation 1272/2008		<1 %

*There is not a registration number available for this substance due to the substance or its use are exempt from a registration number; According to article 2, article 15 of

Regulation (CE) 1907/2006, the annual tonnage does not need to be registered (1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

(2) Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification				M-factor	
2-methylisothiazol-3	(2H)-one			Acute	10
CAS: 2682-20-4	EC: 220-239-6			Chronic	1
	Identification		Spec	ific concentrat	ion limit
1,2-benzisothiazol-3(CAS: 2634-33-5 EC: 220-120-9	2H)-one		% (w/w) >=0,05: Skin Sens	. 1 - H317	
2-methylisothiazol-3(CAS: 2682-20-4 EC: 220-239-6	(2H)-one		% (w/w) >=0,0015: Skin Se	ns. 1A - H317	

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	A	cute toxicity	Genus	
Alcohols, C12-14, ethoxylated (5-15 EO)	LD50 oral	500 mg/kg (ATEi)		
CAS: 68439-50-9	LD50 dermal	Not relevant		
EC: Non-applicable	LC50 inhalation	Not relevant		
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	LD50 oral	1260 mg/kg	Rat	
CAS: 68411-30-3	LD50 dermal	Not relevant		
EC: 270-115-0	LC50 inhalation	Not relevant		
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat	
CAS: 2634-33-5	LD50 dermal	Not relevant		
EC: 220-120-9	LC50 inhalation	Not relevant		
2-methylisothiazol-3(2H)-one	LD50 oral	120 mg/kg	Rat	
CAS: 2682-20-4	LD50 dermal	242 mg/kg	Rat	
EC: 220-239-6	LC50 inhalation	Not relevant		



GAMA UNIVERSAL PROFESSIONAL

Version: 1

N^o: Printing: 11/06/2024

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

Date of compilation: 13/02/2024

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

BlueSun°

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

GAMA UNIVERSAL PROFESSIONAL

Version: 1

N°: Printing: 11/06/2024 Date of compilation: 13/02/2024

2/2024

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Specific storage requirements
 - Maximum Temp.: 0 °C
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	tional exposure limits	
Silicon dioxide (RCS < 1%)	IOELV (8h)	0,1 mg/m ³	
CAS: 7631-86-9 EC: 231-545-4	IOELV (STEL)		

DNEL (Workers):



GAMA UNIVERSAL PROFESSIONAL

Nº:

Printing: 11/06/2024 Date of compilation: 13/02/2024 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 68411-30-3	Dermal	Not relevant	Not relevant	119 mg/kg	Not relevant
EC: 270-115-0	Inhalation	Not relevant	Not relevant	7,6 mg/m ³	Not relevant
1,2-benzisothiazol-3(2H)-one	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 2634-33-5	Dermal	Not relevant	Not relevant	0,966 mg/kg	Not relevant
EC: 220-120-9	Inhalation	Not relevant	Not relevant	6,81 mg/m ³	Not relevant
2-methylisothiazol-3(2H)-one	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 2682-20-4	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 220-239-6	Inhalation	Not relevant	0,043 mg/m ³	Not relevant	0,021 mg/m ³

DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	Oral	Not relevant	Not relevant	0,425 mg/kg	Not relevant
CAS: 68411-30-3	Dermal	Not relevant	Not relevant	42,5 mg/kg	Not relevant
EC: 270-115-0	Inhalation	Not relevant	Not relevant	1,3 mg/m ³	Not relevant
1,2-benzisothiazol-3(2H)-one	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 2634-33-5	Dermal	Not relevant	Not relevant	0,345 mg/kg	Not relevant
EC: 220-120-9	Inhalation	Not relevant	Not relevant	1,2 mg/m ³	Not relevant
2-methylisothiazol-3(2H)-one	Oral	0,053 mg/kg	Not relevant	0,027 mg/kg	Not relevant
CAS: 2682-20-4	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 220-239-6	Inhalation	Not relevant	0,043 mg/m ³	Not relevant	0,021 mg/m ³

PNEC:

Identification				
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	STP	3,43 mg/L	Fresh water	0,268 mg/L
CAS: 68411-30-3	Soil	35 mg/kg	Marine water	0,027 mg/L
EC: 270-115-0	Intermittent	0,017 mg/L	Sediment (Fresh water)	8,1 mg/kg
	Oral	Not relevant	Sediment (Marine water)	6,8 mg/kg
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,00499 mg/kg
2-methylisothiazol-3(2H)-one	STP	0,23 mg/L	Fresh water	0,00339 mg/L
CAS: 2682-20-4	Soil	0,047 mg/kg	Marine water	0,00339 mg/L
EC: 220-239-6	Intermittent	0,00339 mg/L	Sediment (Fresh water)	Not relevant
	Oral	Not relevant	Sediment (Marine water)	Not relevant

8.2 **Exposure controls:**

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictog	jram	PPE	Labelling	CEN Standard	Remarks
Mandato	ry hand	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.11 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.



GAMA UNIVERSAL PROFESSIONAL

TION O. EVPOCUPE CO			2024 Version: 1	
TION 8: EXPOSURE CO	NTROLS/PERSONA	L PROTECTI	ION (continued)	
As the product is a mi	ixture of several subst as therefore to be chec	ances, the res	istance of the glove mate	rial can not be calculated in advance with
D Eye and face protection				
Pictogram	PPE	Labelling	CEN Standard	Remarks
Pa	noramic glasses against	(ϵ)	EN 166:2002	Clean daily and disinfect periodically according t the manufacturer's instructions. Use if there is
Mandatory face	splash/projections.	CATI	EN ISO 4007:2018	risk of splashing.
protection E Body protection				
Pictogram	PPE	Labelling	CEN Standard	Remarks
rictogram	FFL	Labelling		Replace before any evidence of deterioration. For
		$(\boldsymbol{\epsilon})$		periods of prolonged exposure to the product for professional/industrial users CE III is
	Work clothing	CATL		recommended, in accordance with the regulation in EN ISO 6529:2013, EN ISO 6530:2005, EN IS
		CATI		13688:2013, EN 464:1994.
		<i>c c</i>		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for
	Anti-slip work shoes	して	EN ISO 20347:2012	professional/industrial users CE III is recommended, in accordance with the regulation
		CAT II		in EN ISO 20345:2012 y EN 13832-1:2007
F Additional emergency	/ measures			
Emergency measure	e Sta	ndards	Emergency meas	ure Standards
*	ΔΝΙςΙ	[Z358-1	•	DIN 12 899
		1, ISO 3864-4:20	11	ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower Environmental exposu			Eyewash station	
			.	
spillage of both the produce of both the produce of	uct and its container. F ounds:	or additional i	nformation see subsectio	is recommended to avoid environmental n 7.1.D
spillage of both the produ Volatile organic compo With regard to Directive 2	uct and its container. F ounds: 2010/75/EU, this produ	or additional in uct has the fol	nformation see subsectio	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply):	uct and its container. F ounds: 2010/75/EU, this produ 0,19 %	for additional in uct has the fol 6 weight	nformation see subsectio	
spillage of both the produ Volatile organic compo With regard to Directive 2	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/n	for additional in uct has the fol 6 weight n ³ (2 g/L)	nformation see subsectio	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 °	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04	for additional in uct has the fol 6 weight n ³ (2 g/L)	nformation see subsectio	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 ° Average carbon numb	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04	ior additional in uct has the fol 6 weight n ³ (2 g/L)	nformation see subsectio	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 C Average carbon numb Average molecular we	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29	ior additional i uct has the fol 6 weight n ³ (2 g/L) 9 g/mol	nformation see subsectio	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 C Average carbon numb Average molecular we	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol 6 weight n ³ (2 g/L) 9 g/mol ERTIES	nformation see subsectio lowing characteristics:	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 ° Average carbon numb Average molecular we CTION 9: PHYSICAL AND Information on basic p	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol weight n ³ (2 g/L) g/mol ERTIES cal properties	nformation see subsectio lowing characteristics:	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 C Average carbon numb Average molecular we CTION 9: PHYSICAL AND Information on basic p For complete information	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol weight n ³ (2 g/L) g/mol ERTIES cal properties	nformation see subsectio lowing characteristics:	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 C Average carbon numb Average molecular we TION 9: PHYSICAL AND Information on basic p For complete information Appearance:	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol weight n ³ (2 g/L) g/mol ERTIES sal properties sheet.	nformation see subsectio lowing characteristics:	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 ° Average carbon numb Average molecular we TION 9: PHYSICAL AND Information on basic p For complete information Appearance: Physical state at 20 °C:	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol 6 weight n ³ (2 g/L) 9 g/mol ERTIES cal properties sheet. Liqui	nformation see subsectio lowing characteristics: s:	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 C Average carbon numb Average molecular we CTION 9: PHYSICAL AND Information on basic p For complete information Appearance: Physical state at 20 °C: Appearance:	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol weight n ³ (2 g/L) g g/mol ERTIES cal properties sheet. Liqui Opac	nformation see subsectio lowing characteristics: s: s: d que	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 ° Average carbon numb Average molecular we TION 9: PHYSICAL AND Information on basic p For complete information Appearance: Physical state at 20 °C:	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol weight n ³ (2 g/L) O g/mol ERTIES Sheet. Liqui Opac	nformation see subsectio lowing characteristics: s:	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 ° Average carbon numb Average molecular we TION 9: PHYSICAL AND Information on basic p For complete information Appearance: Physical state at 20 °C: Appearance: Colour:	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol weight n ³ (2 g/L) g/mol ERTIES sal properties sheet. Liqui Opac Char	nformation see subsectio lowing characteristics: s: d que Blue	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 ° Average carbon numb Average molecular we TION 9: PHYSICAL AND Information on basic p For complete information Appearance: Physical state at 20 °C: Appearance: Colour: Odour:	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE	For additional in uct has the fol weight n ³ (2 g/L) g/mol ERTIES sal properties sheet. Liqui Opac Char	nformation see subsectio lowing characteristics: s: d que Blue acteristic	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 C Average carbon numb Average molecular we TION 9: PHYSICAL AND Information on basic p For complete information Appearance: Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold:	uct and its container. F ounds: 2010/75/EU, this produ 0,19 % PC: 2 kg/m ber: 10,04 eight: 186,29 D CHEMICAL PROPE physical and chemic a see the product datas	For additional in uct has the fol weight n ³ (2 g/L) g/mol ERTIES sal properties sheet. Liqui Opac Char	nformation see subsectio lowing characteristics: s: d gue Blue acteristic relevant *	
spillage of both the produ Volatile organic compo With regard to Directive 2 V.O.C. (Supply): V.O.C. density at 20 ° Average carbon numb Average molecular we TION 9: PHYSICAL AND Information on basic p For complete information Appearance: Physical state at 20 °C: Appearance: Colour: Odour: Odour threshold: Volatility:	eric pressure:	For additional in uct has the fol 6 weight n ³ (2 g/L) 9 g/mol ERTIES Sal properties sheet. Liqui Opac Char Not n	nformation see subsectio lowing characteristics: s: d que Blue acteristic relevant *	



GAMA UNIVERSAL PROFESSIONAL

Nº:	Printing: 11/06/2024 Date of compilation: 3	13/02/2024	Version: 1
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIES	6 (continued)	
	Vapour pressure at 50 °C:	12366,72 Pa (12	2.37 kPa)
	Evaporation rate at 20 °C:	Not relevant *	·
	Product description:		
	Density at 20 °C:	1049,5 kg/m³	
	Relative density at 20 °C:	1,05	
	Dynamic viscosity at 20 °C:	Not relevant *	
	Kinematic viscosity at 20 °C:	Not relevant *	
	Kinematic viscosity at 40 °C:	Not relevant *	
	Concentration:	Not relevant *	
	pH:	8,5	
	Vapour density at 20 °C:	Not relevant *	
	Partition coefficient n-octanol/water 20 °C:	Not relevant *	
	Solubility in water at 20 °C:	Not relevant *	
	Solubility properties:	Not relevant *	
	Decomposition temperature:	Not relevant *	
	Melting point/freezing point:	Not relevant *	
	Flammability:		
	Flash Point:	Non Flammable	(>60 °C)
	Flammability (solid, gas):	Not relevant *	
	Autoignition temperature:	192 °C	
	Lower flammability limit:	Not relevant *	
	Upper flammability limit:	Not relevant *	
	Particle characteristics:		
	Median equivalent diameter:	Non-applicable	
9.2	Other information:		
	Information with regard to physical hazard clas		
	Explosive properties:	Not relevant *	
	Oxidising properties:	Not relevant *	
	Corrosive to metals:	Not relevant *	
	Heat of combustion:	Not relevant *	
	Aerosols-total percentage (by mass) of flammable components:	Not relevant *	
	Other safety characteristics:		
	Surface tension at 20 °C:	Not relevant *	
	Refraction index:	Not relevant *	
	*Not relevant due to the nature of the product, not providing info	rmation property of its	hazards.

SECTION	10: STABILITY AND REACTI	
SECTION	10. STADILITT AND REACT	VIII

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.



SE 10

10

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

GAMA UNIVERSAL PROFESSIONAL

Nº: Printing: 11/06/2024 Date of compilation: 13/02/2024 Version: 1

ECT	ION 10: STABILITY ANI	D REACTIVITY (conti	nued)						
0.4	Conditions to avoid:								
	Applicable for handling and storage at room temperature:								
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
0.5	Incompatible materials	:							

Avoid strong acids Not applicable Avoid direct impact Not applicable Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

- IARC: COUMARIN (3); d-limonene (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
 - it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

BlueSun°

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

GAMA UNIVERSAL PROFESSIONAL

Nº: Printing: 11/06/2024 Date of compilation: 13/02/2024 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

Identification	Ac	cute toxicity	Genus
Alcohols, C12-14, ethoxylated (5-15 EO)	LD50 oral	500 mg/kg (ATEi)	
CAS: 68439-50-9	LD50 dermal	>2000 mg/kg	
EC: Non-applicable	LC50 inhalation	>20 mg/L	
SODIUM LAURETH SULFATE	LD50 oral	>2000 mg/kg	
CAS: 68585-34-2	LD50 dermal	>2000 mg/kg	
EC: 500-223-8	LC50 inhalation		
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	LD50 oral	1260 mg/kg (ATEi)	Rat
CAS: 68411-30-3	LD50 dermal	>2000 mg/kg	
EC: 270-115-0	LC50 inhalation	>5 mg/L	
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat
CAS: 2634-33-5	LD50 dermal	>2000 mg/kg	
EC: 220-120-9	LC50 inhalation	>5 mg/L	
2-methylisothiazol-3(2H)-one	LD50 oral	120 mg/kg	Rat
CAS: 2682-20-4	LD50 dermal	242 mg/kg	Rat
EC: 220-239-6	LC50 inhalation	>20 mg/L	
Silicon dioxide (RCS < 1%)	LD50 oral	>5000 mg/kg	Rat
CAS: 7631-86-9	LD50 dermal	5100 mg/kg	Rabbit
EC: 231-545-4	LC50 inhalation	>5 mg/L	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	LC50	1,67 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 68411-30-3	EC50	2,9 mg/L (48 h)	Daphnia magna	Crustacean
EC: 270-115-0	EC50	29 mg/L (96 h)	Selenastrum capricornutum	Algae
Alcohols, C12-14, ethoxylated (5-15 EO)	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 68439-50-9	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: Non-applicable	EC50	>10 - 100 mg/L (72 h)		Algae
1,2-benzisothiazol-3(2H)-one	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 2634-33-5	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 220-120-9	EC50	>0.1 - 1 mg/L (72 h)		Algae



Nº:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

GAMA UNIVERSAL PROFESSIONAL

Printing: 11/06/2024 Date of compilation: 13/02/2024 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Concentration	Species	Genus
2-methylisothiazol-3(2H)-one	LC50	4,77 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 2682-20-4	EC50	0,934 mg/L (48 h)	Daphnia magna	Crustacear
EC: 220-239-6	EC50	Not relevant		
Silicon dioxide (RCS < 1%)	LC50	5000 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 7631-86-9	EC50	10000 mg/L (24 h)	Daphnia magna	Crustacear
EC: 231-545-4	EC50	440 mg/L (72 h)	Selenastrum capricornutum	Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	NOEC	0,23 mg/L	Oncorhynchus mykiss	Fish
CAS: 68411-30-3 EC: 270-115-0	NOEC	1,18 mg/L	Daphnia magna	Crustacean
2-methylisothiazol-3(2H)-one	NOEC	4,93 mg/L	Oncorhynchus mykiss	Fish
CAS: 2682-20-4 EC: 220-239-6	NOEC	0,044 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	De	gradability	Biodegradability	
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	BOD5	Not relevant	Concentration	34.3 mg/L
CAS: 68411-30-3	COD	Not relevant	Period	29 days
EC: 270-115-0	BOD5/COD	Not relevant	% Biodegradable	89 %
1,2-benzisothiazol-3(2H)-one	BOD5	Not relevant	Concentration	100 mg/L
CAS: 2634-33-5	COD	Not relevant	Period	28 days
EC: 220-120-9	BOD5/COD	Not relevant	% Biodegradable	0 %
2-methylisothiazol-3(2H)-one	BOD5	Not relevant	Concentration	10 mg/L
CAS: 2682-20-4	COD	Not relevant	Period	28 days
EC: 220-239-6	BOD5/COD	Not relevant	% Biodegradable	55,8 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bi	Bioaccumulation potential		
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	BCF	2		
CAS: 68411-30-3	Pow Log	3.32		
EC: 270-115-0	Potential	Low		
1,2-benzisothiazol-3(2H)-one	BCF	2		
CAS: 2634-33-5	Pow Log	1.45		
EC: 220-120-9	Potential	Low		
2-methylisothiazol-3(2H)-one	BCF			
CAS: 2682-20-4	Pow Log	-0.49		
EC: 220-239-6	Potential			

12.4 Mobility in soil:

Identification	Identification Absorption/desorption		Volati	lity
2-methylisothiazol-3(2H)-one	Кос	Not relevant	Henry	0E+0 Pa·m ³ /mol
CAS: 2682-20-4	Conclusion	Not relevant	Dry soil	Not relevant
EC: 220-239-6	Surface tension	Not relevant	Moist soil	Not relevant

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

Blue**Sun**

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

GAMA UNIVERSAL PROFESSIONAL

Nº: Printing: 11/06/2024 Date of compilation: 13/02/2024 Version: 1

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 30	detergents other than those mentioned in 20 01 29	Non-hazardous

Type of waste (Regulation (EU) No 1357/2014):

Not relevant

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

5		
14.1	UN number or ID number:	Not relevant
14.2	UN proper shipping name:	Not relevant
14.3	Transport hazard class(es):	Not relevant
	Labels:	Not relevant
14.4	Packing group:	Not relevant
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Not relevant
	Tunnel restriction code:	Not relevant
	Physico-Chemical properties:	see section 9
	Limited quantities:	Not relevant
14.7	Maritime transport in bulk according to IMO instruments:	Not relevant
Transpo	rt of dangerous goods by sea:	
With rega	rd to IMDG 41-22:	
14.1	UN number or ID number:	Not relevant
14.2	UN proper shipping name:	Not relevant
14.3	Transport hazard class(es):	Not relevant
	Labels:	Not relevant
14.4	Packing group:	Not relevant
14.5	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations:	Not relevant
	EmS Codes:	
	Physico-Chemical properties:	see section 9
	Limited quantities:	Not relevant
	Segregation group:	Not relevant
14.7	Maritime transport in bulk according to IMO instruments:	Not relevant
Transpo	rt of dangerous goods by air:	
•	ard to IATA/ICAO 2024:	



GAMA UNIVERSAL PROFESSIONAL

Nº:	Printin	g: 11/06/2024 Date of co	mpilation: 13/02/2024	Version: 1				
SECTIC	SECTION 14: TRANSPORT INFORMATION (continued)							
	14.1	UN number or ID number:	Not relevant					
	14.2	UN proper shipping name:	Not relevant					
	14.3	Transport hazard class(es):	Not relevant					
		Labels:	Not relevant					
	14.4	Packing group:	Not relevant					
	14.5	Environmental hazards:	No					
	14.6	Special precautions for user						
		Physico-Chemical properties:	see section 9					
	14.7	Maritime transport in bulk according to IMO instruments:	Not relevant					

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 2-phenoxyethanol, 2-methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one.

- Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (2634-33-5) - PT: (2,6,9,11,12,13);

- 2-methylisothiazol-3(2H)-one (2682-20-4) PT: (6,11,12,13); Silicon dioxide (RCS < 1%) (7631-86-9) PT: (18)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Labelling for contents:

	Component	Concentration interval
Non-ionic surfactants		% (w/w) < 5
Soap		% (w/w) < 5
Anionic surfactants		5 <= % (w/w) < 15
Enzymes		
perfumes		

Allergenic fragrances: Benzyl salicylate (BENZYL SALICYLATE), Citronellol (CITRONELLOL), COUMARIN (COUMARIN), Hexyl cinnam-aldehyde (HEXYL CINNAMAL), LINALOOL (LINALOOL), Linalyl acetate (LINALYL ACETATE), TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES).

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), 2-methylisothiazol-3(2H)-one (METHYLISOTHIAZOLINONE), 2-phenoxyethanol (PHENOXYETHANOL).

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

Nº:

—games for one or more participants, or any article intended to be used as such, even with ornamental aspects. Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.



GAMA UNIVERSAL PROFESSIONAL

N°: Printing: 11/06/2024 Date of compilation: 13/02/2024

Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks. Not relevant

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H330 - Fatal if inhaled.

Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand BCE: Bioconcentration factor

LD50: Lethal Dose 50

Nº:

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer



GAMA UNIVERSAL PROFESSIONAL

Date of compilation: 13/02/2024

N^o: Printing: 11/06/2024

Expert judgement

Version: 1

SECTION 16: OTHER INFORMATION (continued) Other information: Classification according to Regulation (EC) Nr. 1272/2008: H319: Eye Irrit. 2, H319 Classification procedure:

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.